

# INDEX MAPS.

## T. 11 N, R. 2 E. 2<sup>nd</sup> Mer.

	389		389		388		388		387		387	
391	6	<del>413</del>	5	<del>407</del>	4	<del>403</del>	3	<del>399</del>	2	<del>395</del>	1	<del>386</del>
	<del>412</del>		<del>413</del>		<del>407</del>		<del>403</del>		<del>399</del>		<del>395</del>	
391	7	<del>412</del>	8	<del>406</del>	9	<del>402</del>	10	<del>398</del>	11	<del>394</del>	12	<del>386</del>
	<del>411</del>		<del>412</del>		<del>406</del>		<del>402</del>		<del>398</del>		<del>394</del>	
390	18	<del>411</del>	17	<del>406</del>	16	<del>402</del>	15	<del>398</del>	14	<del>394</del>	13	<del>386</del>
	<del>410</del>		<del>411</del>		<del>405</del>		<del>401</del>		<del>397</del>		<del>393</del>	
390	19	<del>410</del>	20	<del>405</del>	21	<del>401</del>	22	<del>397</del>	23	<del>393</del>	24	<del>385</del>
	<del>409</del>		<del>409</del>		<del>405</del>		<del>401</del>		<del>397</del>		<del>393</del>	
390	30	<del>409</del>	29	<del>404</del>	28	<del>400</del>	27	<del>396</del>	26	<del>392</del>	25	<del>385</del>
	<del>408</del>		<del>408</del>		<del>404</del>		<del>400</del>		<del>396</del>		<del>392</del>	
389	31	<del>408</del>	32	<del>403</del>	33	<del>399</del>	34	<del>396</del>	35	<del>392</del>	36	<del>384</del>
	<del>384</del>		<del>384</del>		<del>383</del>		<del>383</del>		<del>383</del>		<del>383</del>	

## T. 12 N, R. 2 E. 2<sup>nd</sup> Mer.

Meanders 448

	422		421		421		420		420		419
424	6	448	5	441	4	436	3	432	2	428	1 419
	<del>446</del>		<del>447</del>		<del>440</del>		<del>436</del>		<del>432</del>		<del>428</del>
423	7	446	8	440	9	436	10	432	11	428	12 419
	<del>445</del>		<del>445</del>		<del>439</del>		<del>435</del>		<del>431</del>		<del>427</del>
423	18	445	17	439	16	435	15	431	14	427	13 418
	<del>444</del>		<del>444</del>		<del>439</del>		<del>434</del>		<del>430</del>		<del>426</del>
422	19	443	20	438	21	434	22	430	23	426	24 418
	<del>443</del>		<del>443</del>		<del>438</del>		<del>434</del>		<del>430</del>		<del>426</del>
422	30	442	29	437	28	433	27	429	26	425	25 417
	<del>442</del>		<del>441</del>		<del>437</del>		<del>433</del>		<del>429</del>		<del>425</del>
422	31	441	32	437	33	433	34	429	35	425	36 417
	<del>417</del>		<del>416</del>		<del>416</del>		<del>415</del>		<del>415</del>		<del>415</del>

Meanders 448

[P] The figures on the lines refer to the page.

Township N. 12 North, Range N. 2 East 2<sup>d</sup> Mer. Indiana

South Boundary var. 7° 15' E.

West On the S. boundary of Sec. 36, 1/2 N. 12 E.

29.50 a Branch 6 lks. wide Cr. S.W.

40.00 At the q. Sec. post, from which  
a Beech 6 in. dia. bran N 44 E 13 lks. dist. &  
a Do 9 " " " S 50 W 7 " "

74.50 a Creek 40 lks. wide Cr. N.W.

80.00 At a post Cor. to Sec. 35, 36, 1/2 N. 12 E. from which  
a Beech 7 in. dia. bran N 19 W 9 lks. dist. &  
a Do 24 " " " S 60 W 20 " "

Broken land, timber Beech, Ash, Sugar &c. underg.<sup>th</sup>  
Spruce &c. Soil good

West On S. boundary of Sec. 35, 1/2 N. 12 E.

2.40 a Spanish Oak <sup>in. dia.</sup> 2 1/2 in the line

22.00 a Branch 6 lks. wide Cr. N.E.

40.00 At the q. Sec. post, from which  
a Beech 9 in. dia. bran N 83 E 9 lks. dist. &  
a Dogw. 6 " " " N 70 W 10 " "

48.90 a Branch 5 lks. wide Cr. N.E.

51.76 a Beech 24 in. dia. in the line

80.00 At a post Cor. to Sec. 34 & 35, 1/2 N. 12 E. from which  
a Beech 9 in. dia. bran N 40 E 19 lks. dist. &  
a Sugar 7 " " " N 74 W 16 " "

First 1/2 broken - 2<sup>d</sup> 1/2 rolling good farming land  
timber Beech, Ash &c. underg.<sup>th</sup> Spruce Soil good.

West On S. boundary of Sec. 34, 1/2 N. 12 E.

12.80 a Branch 6 lks. wide Cr. S.W.

19.10 a Do 8 " " " N.W.

33.40 a Beech 9 in. dia. in the line

40.00 At the q. Sec. post, from which  
a Sugar 7 in. dia. bran N 52 W 9 lks. dist. &



# T12N R2E 2<sup>d</sup> Mer. Indiana

a Beech 6 in. dia. bray N70 E 8 lks. dist.  
 51.00 a Branch 8 lks. wide C.P. N.W.  
 64.20 a Beech 15 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 33 of 34, from which  
 a Sugar 10 in. dia. bray N41 E 10 lks. dist. of  
 a Beech 12 " " " N62 W 10 " "  
 Broken land, timber Beech, Ash & Elm, undg.<sup>th</sup>  
 Spruce, Beech &c. Soil good

Met On S. boundary of Sec. 33, T12N R2E.  
 24.30 a Branch 6 lks. wide C.P. N.W.  
 34.59 a Sugar 10 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Water Beech 7 in. dia. bray N35 W 12 lks. dist. of  
 a Beech 8 " " " S81 E 11 " "  
 69.40 a Beech 15 " " in the line  
 80.00 Set a post Cor. to Sec. 32 of 33, from which  
 a Beech 18 in. dia. bray S80 W 13 lks. dist. of  
 a Do 20 " " " N26 E 26 " "  
 Rolling land, good for farming, timber Beech,  
 Sugar, Ash &c. undg.<sup>th</sup> Spruce Soil good

Met On S. boundary of Sec. 32, T12N R2E  
 4.40 a Beech 12 in. dia. in the line  
 7.25 a Branch 4 lks. wide C.P. N.W.  
 33.90 a Do 3 " " " N.W.  
 40.00 Set the q. Sec. post, from which  
 a Beech 6 in. dia. bray N83 W 8 lks. dist. of  
 a Do 9 " " " S44 E 24 " "  
 46.10 a Branch 6 lks. wide C.P. North  
 74.25 a Hickory 12 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 31 of 32, from which  
 a Beech 18 in. dia. bray N12 W 18 lks. dist. of

# 12 N R2 E, 2<sup>d</sup> Mer. Indiana

a Beech 21 in. diam. bear S10 W 21 lks. dist.  
 Good farming land, timber 1 Beech, Ash, Sugar &c.  
 underg<sup>d</sup>. Spice &c. good Soil

West On S. boundary of Sec. 31, 12 N. R2 E.  
 20.05 a Branch 4 lks. wide C.S. N.W.

24.50 a Beech 10 in. diam. in the line

40.00 At the q. Sec. post, from which  
 a Beech 12 in. diam. bear N48 W 10 lks. dist. of  
 a do 20 " " " S23 W 25 " "

70.00 to Township Corner.

Broken land, Beech, Ash, Poplar, Sugar &c.  
 underg<sup>d</sup>. Spice Soil good. July 3, 1819

## East Boundary var 6.15' E.

North On E. boundary of Sec. 36, 12 N. R2 E.

17.25 a Branch 5 lks. wide C.S. N.W.

32.50 a Beech 20 in. diam. in the line

40.00 At the q. Sec. post, from which  
 a Beech 18 in. diam. bear N44 E 29 lks. dist. of  
 a do 15 " " " S33 W 33 " "

52.65 an Ash 12 " " in the line

65.00 a Branch 7 lks. wide C.S. N.W.

80.00 At a post Cor. to Sec. 25 & 36, from which

a Beech 9 in. diam. bear S26 W 18 lks. dist. of

an Ash 30 " " " N37 E 47 " "

First 1/2 broken - last level timber, 1 Beech, Ash  
 Poplar & underg<sup>d</sup>. Spice &c. Soil good

North On E. boundary of Sec. 25, 12 N. R2 E.

22.38 a Beech 12 in. diam. in the line

40.00 At the q. Sec. post, from which

a Beech 10 in. diam. bear N22 W 12 lks. dist. of

# S12 N R2 E, 2<sup>d</sup> Mer. Indiana

a Beech 22 in. diam. bray S1 E 27 lks. dist. ✓  
 52.40 a Red Oak 30 in. diam. in the line  
 62.50 a Branch 5 lks. wide Cr. N.  
 67.50 a Creek 30 " " " S.W.  
 80.00 Let a post Cor. to Sec. 24 & 25, from which  
 a Hickory 9 in. diam. bray N35 W 12 lks. dist. ✓  
 a Sassafras 6 " " " S14 E 8 " "  
 Land broken, timber Beech, Oak, ash &c.  
 underg<sup>th</sup> Spice & green briar.

North On E. boundary of Sec. 24, S12 N. R2 E.  
 14.17 an Ash 15 in. diam. in the line  
 39.25 a Branch 4 lks. wide Cr. S.W.  
 40.00 Let the q. Sec. post, from which  
 a Beech 14 in. diam. bray S8 W 29 lks. dist. ✓  
 a Sugar 9 " " " N12 E 24 " "  
 78.50 a Creek 30 lks. wide Cr. S.W.  
 80.00 Let a post Cor. to Sec. 13 & 24, from which  
 a Beech 18 in. diam. bray N48 W 16 lks. dist. ✓  
 a Do 27 " " " S22 E 28 " "  
 Over very broken land, timber Oak, Hickory, Beech  
 &c. underg<sup>th</sup> Spice & Green briar.

North On E. boundary of Sec. 13, S12 N. R2 E  
 8.65 a Beech 18 in. diam. in the line  
 40.00 Let the q. Sec. post, from which  
 a Beech 8 in. diam. bray N73 E 18 lks. dist. ✓  
 a Do 12 " " " N81 W 15 " "  
 47.60 a Branch 4 lks. wide Cr. S.W.  
 54.50 a Beech 12 in. diam. in the line  
 80.00 Let a post Cor. to Sec. 12 & 13, from which  
 a Sugar 15 in. diam. bray S46 E 3 lks. dist. ✓  
 a Do 18 " " " N48 W 36 " "

417

1/2 N. 1/2 E. 2<sup>d</sup>. Mer. Indiana

Broken land, timber Beech, Oak, Sugar &c.  
underg<sup>th</sup> Spice, greenbrier &c. Soil good

---

North On E. boundary of Sec. 12, 1/2 N. 1/2 E.

1.50 a Branch 10 lks. wide Cr. S. W.

14.90 a Do 8 lks. " " S. W.

31.65 a Beech 9 in. diam. in the line

40.00 At the q. Sec. post, from which  
a Hickory 7 in. diam. bran S 51 E 27 lks. dist. of  
an Ironwood 6 " " " N 24 W 12 " "

45.95 a Poplar 38 in. diam. in the line

80.00 At a post Cor. to Sec. 1 & 12, from which  
a Sugar 10 in. diam. bran S 81 W 3 lks. dist. of  
a Beech 21 " " " S 70 E 6 " "

Rolling land, timber Beech, Oak, Ash, Sugar  
&c. underg<sup>th</sup> Spice, pawpaw &c. Soil good

---

North On E. boundary of Sec. 1, 1/2 N. 1/2 E.

5.60 a Beech 15 in. diam. in the line

40.00 At the q. Sec. post, from which  
a Sugar 14 in. diam. bran S 81 W 3 lks. dist. of  
a Do 15 " " " S 25 E 20 " "

44.76 a Beech 16 " " in the line

48.85 a Branch 6 lks. wide Cr. S. W.

73.90 At a post Cor. to townships 12 & 13 North, Ranges  
2 & 3 East from which

a Beech 10 in. diam. bran N 65 W 26 lks. dist. of  
a Do 27 " " " S 51 E 7 " "

Level land July 4<sup>th</sup>. 1819.

---

North Boundary var. 7<sup>th</sup> 15<sup>th</sup> E.

West On S. boundary of Sec. 36, 1/2 N. 1/2 E.

25.75 a Beech 12 in. diam. in the line



T12N R2E 2<sup>nd</sup> Mer. Indiana

- 29.15 a Branch 8 lks. wide C.P. N.W.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. diam. bran N 28 E 21 lks. dist. of  
 a Do 15 " " " S 36 W 15 " "  
 48.40 a Branch 6 lks. wide C.P. N.W.  
 53.70 a Beech 12 in. diam. in the line  
 61.00 a Branch 5 lks. wide C.P. N.W.  
 80.00 At a post Cor. to Sec. 35 & 36, <sup>T13N R2E</sup> from which  
 an Elm 21 in. diam. bran S 34 E 20 lks. dist. of  
 a Poplar 36 " " " N 35 E 27 " "  
 Broken land, timber Beech, Sugar, Poplar,  
 &c. underg<sup>d</sup> Spice, green briar &c.

- West On S. boundary of Sec. 35, T13N R2E  
 11.25 a Beech 15 in. diam. in the line  
 40.00 At the q. Sec. post, from which  
 a Sugar 7 in. diam. bran N 82 E 8 lks. dist. of  
 a Hickory 9 " " " S 81 W 10 " "  
 44.90 a W. Oak 30 in. diam. in the line  
 51.00 a Branch 8 lks. wide C.P. N.W.  
 61.00 a Creek 40 lks. " " S.W.  
 80.00 At a post Cor. to Sec. 34 & 35, T13N R2E. from which  
 a Buckeye 12 in. diam. bran N 65 W 13 lks. dist. of  
 a Hickory 9 " " " S 83 E 23 " "  
 Land timber &c. same as on the last mile

- West On S. boundary of Sec. 34, T13N R2E.  
 19.80 a Beech 15 in. diam. in the line  
 36.50 a Branch 5 lks. wide C.P. N.W.  
 40.00 At the q. Sec. post, from which  
 a Beech 15 in. diam. bran S 57 E 34 lks. dist. of  
 a Do 8 " " " N 22 W 15 " "  
 56.20 a Syamore 30 in. diam. in the line



42

T2 N R2 E, 2<sup>d</sup>. Mer. Indiana

59.00 a Branch 15 lks. wide C.S. N.W.

80.00 Set a post Cor. to Sec. 33 & 34, T2 N. R2 E, from which  
a Buckeye 9 in. dia. bray N70 W 30 lks. dist. of  
a Do 12 " " " S75 E 24 " "  
1<sup>st</sup> half broken - lost 1/2 level bottom, timber Hack-  
berry, Walnut, Buckeye &c. undg<sup>d</sup>. Spice, rich Soil.

West On S. boundary of Sec. 33, T2 N. R2 E.

19.60 a Hickory 15 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a Blue Ash 9 in. dia. bray N45 W 22 lks. dist. of  
a Do 8 " " " S2 E 8 " "

47.90 a Bur Oak 15 " " in the line

80.00 Set a post Cor. to Sec. 32 & 33, T2 N. R2 E, from which  
a Hackberry 20 in. dia. bray S72 W 5 lks. dist. of  
a Do 18 " " " N40 E 12 " "  
Level bottom, timber Hackberry, Walnut, &c.  
undg<sup>d</sup>. Spice &c. rich Soil

West On S. boundary of Sec. 32, T2 N. R2 E.

19.02 Set a post on the Left bank of White River from which  
an Elm 6 in. dia. bray S86 E 9 lks. dist. of  
a Maple 9 " " " N77 W 9 " "

23.79 Set a post on the Right bank of White river from which  
a Hackberry 21 in. dia. bray S21 E 7 lks. dist. of  
a Mulberry 18 " " " N31 W 23 " "

40.00 Set the q. Sec. post, from which  
a W. Walnut 27 in. dia. bray N25 W 54 lks. dist. of  
a Hickory 9 " " " S46 W 18 " "

80.00 Set a post Cor. to Sec. 31 & 32, T2 N. R2 E, from which  
a Beech 9 in. dia. bray S41 W 34 lks. dist. of  
a Do 15 " " " S76 E 16 " "  
Level land, timber, Walnut, Hickory, Sugar &c.

# T12N. R2E. 2<sup>d</sup>. Mer. Indiana

underg<sup>th</sup> Spice, Sugar &c overflows

West On S. boundary of Sec. 31, T13N. R2E  
 40.00 At the q. Sec. post from which  
 a Hickory 18 in. dia. bray N73°W 26 lks. dist. of  
 a Red Oak 27 " " " N17°E 10 " "  
 65.37 to Town Corner.

West Boundary var. 6° 00' E.  
 North On E. boundary of Sec. 36, T12N. R1E.  
 33.02 a Beech 28 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
 a Sugar tree 14 in. dia. bray N20°W 32 lks. dist. of  
 a Walnut 16 " " " N79°W 38 " "  
 72.51 a Beech 30 " " in the line  
 80.00 At a post Cor. to Sec. 25 & 36, T12N. R1E, from which  
 a Sugar tree 14 in. dia. bray N53°W 9 lks. dist. of  
 an Oak 21 " " " N86°E 22 " "  
 Good farming land, timber Sugar, Ash, Poplar,  
 Walnut &c. underg<sup>th</sup> Spice &c.

North On E. boundary of Sec. 25, T12N. R1E.  
 40.00 At the q. Sec. post, from which  
 an Ash 9 in. dia. bray N75°W 16 lks. dist. of  
 a Do 20 " " " N57°E 10 " "  
 47.22 an Oak 33 " " in the line  
 80.00 At a post Cor. to Sec. 24 & 25, T12N. R1E, from  
 which a Beech 20 in. dia. bray N78°W 27 lks. dist. of  
 a Do 12 " " " N11°E 20 " "  
 Good farming land, timber Somewat last mile

North On E. boundary of Sec. 24, T12N. R1E.  
 38.50 a Branch 3 lks. wide cr. East

# S12 N. R2 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Sugar 6 in. diam. bray N45 E 4 lks. dist. of  
a Do 4 " " " N37 W 18 " "  
80.00 Set a post Corner to Sec. 13 of 24, T12 N. R1 E, from which  
a Beech 12 in. diam. bray N71 W 45 lks. dist. of  
a Do 20 " " " N59 E 15 " "  
Good farming land, timber same as last mile

- North On E. boundary of Sec. 13, T12 N. R2 E.  
16.50 a Creek 40 lks. wide C. S. W.  
18.50 a Sugar tree 10 in. diam. in the line  
40.00 Set the q<sup>r</sup>. Sec. post from which  
a Beech 14 in. diam. bray N27 W 20 lks. dist. of  
a Do 6 " " " N45 E 3 " "  
55.20 a Beech 18 " " in the line  
80.00 Set a post Cor. to Sec. 12 of 13, T12 N. R1 E, from which  
a Beech 9 in. diam. bray S33 E 10 lks. dist. of  
a Hackberry 10 " " " N84 W 37 " "  
Level 1<sup>st</sup> rate land, (mostly Bottom, timber  
Beech, Ash, Hackberry, Sugar, Elm, Buckeye  
&c. underg<sup>th</sup> Spice, pawpaw &c.

- North On E. boundary of Sec. 12, T12 N. R1 E.  
18.73 a Hickory 20 in. diam. in the line  
38.70 intersected White River & set a post, from which  
a Walnut 7 in. diam. bray N6 W 41 lks. dist. of  
a Do 9 " " " N46 E 44 " "  
40.00 q<sup>r</sup>. Sec. Corner in the River  
61.00 Set a post on the N.E. or right bank of the river from  
which a Sycamore 36 in. diam. bray N43 E 10 lks. dist. of  
a Do 30 " " " N43 W 9 " "  
70.00 after our return from the Meridian established  
post Cor. to Sec. 12 of 12, T12 N. R1 E, from which

# S 12 N R 2 E, 2<sup>d</sup> Mer. Indiana

a Hackberry 12 in. dia. bray S 12 N 25 E, dist. 34  
 a Hickory 18 " " " S 87 E 26 " "  
 This mile River bottom, timber, Walnut, hack-  
 berry, Buckeye, Sugar &c. undng. Spice,  
 Pawpaw, green briar &c.

North On E boundary of Sec. 1, S 12 N. R 1 E

6.34 a Sugar tree 10 in. dia. in the line

40.00 At the q. Sec. post, from which

a Beech 20 in. dia. bray S 74 E 9 1/2 dist. 34

a Do 24 " " " S 88 N 37 " "

48.87 a Hickory 21 " " in the line

80.00 Intersected Cor. of T. 12 S 13 N. Range 1 & 2 E

This mile Mostly bottom land, timber same  
 as on the last mile. Surv. by J. M. McDonald U.S.

July 3<sup>d</sup> 1819

## Subdivision.

We John P. Brown, John Chamber, Ser.  
 Grover and John Gushwa do solemnly  
 swear in the presence of Almighty God,  
 that in all measurements in which we  
 shall be employed as Chain Carriers in the  
 public surveys, we will faithfully and im-  
 partially execute the duties of the trust re-  
 posed in us to the best of our Skill and  
 abilities, so help us God.

John P. Brown  
 Chain Carrier } Ser. Grover  
 John Chamber  
 Arman } John Gushwa

Sworn & Subscribed before me this 19<sup>th</sup> day  
 of August 1820- Basil Bently, U.S.



S12 N. R2 E. 2<sup>nd</sup> Mer. Indiana

North Between Sec. 35 &amp; 36, S12 N. R2 E.

18.26 a Beech 17 mi. dist. in the line

40.00 Set the q. Sec. post, from which

a Beech 10 mi. dist. bear S88 E 32 lks. dist. of

a Do 5 " " " S61 W 10 " "

52.42 a Creek 30 lks. wide C. &amp; N. W.

58.12 a Beech 15 mi. dist. in the line

80.00 Set a post cor. to Sec. 25, 26, 35 &amp; 36, from which

a Beech 10 mi. dist. bear S25 E 18 lks. dist. of

a Do 15 " " " N32 W 22 " "

Hilly 3<sup>rd</sup> rate land, ash, Beech, Poplar,  
undergrowth Spice & Pring.

East On Random between Sec. 25 &amp; 36, S12 N. R2 E.

40.00 Set temp. q. Sec. post

80.48 Entered the E. boundary 198 lks. S. of post

Hilly 3<sup>rd</sup> rate land Beech, Oak &c. underg.  
water Beech, Dogwood, Pring &c.

West On true line between Sec. 25 &amp; 36, S12 N. R2 E.

40.24 Set q. Sec. post at average dist. from which

a Beech 10 mi. dist. bear N61 E 8 lks. dist. of

a Do 12 " " " S70 W 15 " "

80.48 to Sec. Corner.

North Between Sec. 25 &amp; 26, S12 N. R2 E.

20.26 a Beech 30 mi. dist. in the line

40.00 a Beech 20 mi. dist. for q. Sec. post, from which

a Beech 18 mi. dist. bear N62 E 20 lks. dist. of

a Do 24 " " " S59 W 25 " "

56.35 a W. Oak 30 " " in the line

80.00 Set a post cor. to Sec. 23, 24, 25 &amp; 26, from which

a Beech 6 mi. dist. bear S62 E 9 lks. dist. of



# Plot P2 E. 2<sup>d</sup> Mer. Indiana

a Beech 15 mi. dist. by N 10 W 30 lks. dist.  
 Hilly 3<sup>d</sup> rate Oak, Beech, undg<sup>th</sup> Sassafras,  
 Dogwood & green briar.

East On Random between Sec. 24 & 25, T12 N. R2 E.

40.00 Let temp<sup>y</sup>. g<sup>r</sup>. Sec. post

80.46 Intersected the E. boundary 104 lks. S. of the post  
 Hilly 3<sup>d</sup> rate, Beech, Oak, Hickory &c. undg<sup>th</sup>  
 Spruce, Dogwood & green briar.

West On true line between Sec. 24 & 25, T12 N. R2 E.

40.23 Let the g<sup>r</sup>. Sec. post, at average dist. from which  
 a Beech 5 mi. dist. by N 5 W 25 lks. dist. of  
 a Do 30 " " " N 10 E 27 " "

80.46 to Sec. Corner. August 19<sup>th</sup> 1820

North Between Sec. 23 & 24, T12 N. R2 E.

11.95 a Sugar 18 mi. dist. in the line

40.00 Let the g<sup>r</sup>. Sec. post, from which  
 a Sugar 10 mi. dist. by N 46 E 17 lks. dist. of  
 a Beech 12 " " " N 5 E 21 " "

49.25 a Beech 12 " " in the line

73.00 a Creek 15 lks. wide C. S. N. W.

80.00 Let a post corner, to Sec. 13, 14, 23 & 24, from which  
 a Sugar 18 mi. dist. by South 18 lks. dist. of  
 a Beech 5 " " " N 6 W 13 " "  
 Sand rolling 2<sup>d</sup> rate, Ash, Beech, Sugar,  
 undg<sup>th</sup> Spruce &c.

East On Random between Sec. 13 & 24, T12 N. R2 E.

28.23 a Stream 10 lks. wide C. S. N. W.

31.50 a Do 12 " " " N. W.

81.17 Intersected the E. boundary 130 lks. South of post

T12 N. R2 E. 2<sup>nd</sup> Mer. Indiana

Land level 1<sup>st</sup> rate, Ash, Beech, Sugar &c.  
underg<sup>th</sup> Spruce &c.

West On true line between Sec. 13 & 24, T12 N. R2 E.  
40.58 Set of Sec. post at average dist. from which  
a Beech 20 m. dist. bear N 68 E 4 lks. dist. of  
a Buckeye 6 " " " N 66 W 17 " "  
81.17 to Sec. Corner.

North Between Sec. 13 & 14, T12 N. R2 E.  
15.00 a Beech 18 m. dist. in the line  
30.50 a Creek 15 lks. wide E. & W.  
40.00 Set the of Sec. post, from which  
a Beech 4 m. dist. bear N 34 E, 38 lks. dist. of  
a do 8 " " " N 7 E 8 " "  
47.45 a Beech 20 " " in the line  
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Beech 30 m. dist. bear N 60 W 32 lks. dist. of  
a do 6 " " " N 43 E 28 " "  
Land rolling 2<sup>nd</sup> rate, Ash, Beech, Poplar, Sugar  
under growth Spruce &c.

East On Random between Sec. 12 & 13, T12 N. R2 E.  
40.00 Set turn pt. of Sec. post  
81.17 Intersected the E. boundary 113 lks. S. of post  
Hilly 2<sup>nd</sup> rate land, Ash, Beech &c. underg<sup>th</sup>  
Spruce &c.

West On true line between Sec. 12 & 13, T12 N. R2 E.  
40.58 Set of Sec. post at average dist. from which  
a Beech 15 m. dist. bear N 67 W 25 lks. dist. of  
a do 12 " " " N 18 E 33 " "  
81.17 to Sec. Corner

T12N R2E 2<sup>d</sup>. Mer. Indiana

North Between Sec. 11 &amp; 12, T12N R2E.

8.98 at Beech 15 mi. dist. in the line

40.00 Set the q. Sec. post, from which

a Beech 10 mi. dist. bear N 84 E 15 lks. dist. of

a do 6 " " " N 65 W 25 " "

59.90 at Beech 12 " " in the line

80.00 Set a post Corner to Sec. 1, 2, 11 &amp; 12, from which

a Beech 6 mi. dist. bear N 67 W 10 lks. dist. of

a do 24 " " " S 71 E 40 " "

Land hilly 2<sup>d</sup>. rate, ash, Beech, Poplar &c. undg.

Spruce &amp;c. August 21, 1820

East On Random between Sec. 1 &amp; 12, T12N R2E.

40.00 Set temp. q. Sec. post

81.50 Intersected the E. boundary 173 lks. S. of post

Land hilly 2<sup>d</sup>. rate Ash, Beech &c. undg.

Spruce and green briars.

West On true line between Sec. 1 &amp; 12, T12N R2E.

40.75 Set q. Sec. post, at average dist. from which

a Beech 8 mi. dist. bear N 82 W 19 lks. dist. of

a do 4 " " " S 52 E 25 " "

81.50 to Sec. Corner

North Between Sec. 1 & 2, T12N R2E, 2<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which

a Beech 10 mi. dist. bear N 37 W 14 lks. dist. of

a do 20 " " " S 10 E 27 " "

58.08 a Sugar 10 " " in the line

75.13 Intersected the N. boundary 7.75 lks. N. of post

Set a post Cor. to Sec. 1 &amp; 2, from which

a Beech 40 mi. dist. bear N 70 E 10 lks. dist. of

a do 20 " " " N 65 W 32 " "

T12 N. R2 E. 2<sup>d</sup>. Mer. Indiana

Sand hilly 2<sup>d</sup>. rate, Ash, Sugar, Beech &c.  
undergrowth, Spice & Green briars.

North / Between Sec. 34 & 35, T12 N. R2 E.

27.30 a Beech 30 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 18 in. dia. bear N 14 W 21 lks. dist. of

a No 10 " " " S 76 E 19 " "

53.04 a Beech 20 " " in the line

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which

a Sugar 12 in. dia. bear N 89 W 33 lks. dist. of

a Beech 10 " " " S 8 E 13 " "

Hilly 2<sup>d</sup>. rate, Ash, Beech, Sugar &c. underg.  
Spice &c.

East On Random betw. Sec. 26 & 35, T12 N. R2 E.

28.00 a Stream 25 lks. wide Cr. S. M.

40.00 Set temp. q. Sec. post

41.00 a Stream 28 lks. wide Cr. S. M.

61.50 a No 20 " " S. M.

79.63 Intersected the N & S. line 11 lks. S. of the post.

Sand level 1<sup>st</sup>. rate, Beech, ash, Sugar, and g. Spice.

West On true line between Sec. 26 & 35, T12 N. R2 E.

39.81 Set q. Sec. post at average dist. from which

a Beech 20 in. dia. bear N 12 E 20 lks. dist. of

a No 20 " " " S 16 W 26 " "

79.63 to Sec. Corner.

North / Between Sec. 26 & 27, T12 N. R2 E. 2<sup>d</sup>. Mer.

17.00 a Stream 20 lks. wide Cr. M.

20.25 a Beech 30 in. dia. in the line

40.00 Set the q. Sec. post, from which



# *1/2 N. R 2 E. 2<sup>d</sup>. Mer. Indiana*

a Sugar 15 mi. dist. by N 60 W 28 lks. dist. of  
 a Beech 20 " " " South 37 " "  
 49.50 a Sugar 24 " " in the line  
 80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 10 mi. dist. by South 10 lks. dist. of  
 a Sugar 10 " " " N 16 W 12 " "  
 Land hilly 1<sup>st</sup> half mile 2<sup>d</sup> rate, last 1/2 mile 3<sup>d</sup> rate  
 Ash, Beech, Sugar, undg.<sup>th</sup> Spruce, greenbrier &c.

---

East On Random between Sec. 23 & 26, 1/2 N. R 2 E.  
 40.00 Set temp. q. Sec. post.  
 79.75 Intersected the N & S. 94 lks. S. of the post  
 Hilly 3<sup>d</sup> rate Beech, Ash &c. undg.<sup>th</sup> Spruce, greenbrier &c.

---

West On true line between Sec. 23 & 26, 1/2 N. R 2 E.  
 39.87 Set q. Sec. post at average dist. from which  
 a Beech 10 mi. dist. by N 46 E 23 lks. dist. of  
 a Ho 12 " " " N 35 W 17 " "  
 79.75 to Sec. Corner.

---

North Between Sec. 22 & 23, 1/2 N. R 2 E.  
 14.45 a Beech 30 mi. dist. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 8 mi. dist. by N 29 E 19 lks. dist. of  
 a Ho 10 " " " N 71 W 14 " "  
 56.35 a Beech 24 " " in the line  
 57.75 a Stream 15 lks. wide E. & W.  
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Beech 7 mi. dist. by S 57 E 33 lks. dist. of  
 a Ho 10 " " " N 34 W 28 " "  
 Land level 2<sup>d</sup> rate, timber Ash, Beech, Poplar &c.

---

East On Random between Sec. 14 & 23, 1/2 N. R 2 E.



~~43~~ 431

T12 N R2 E, 2<sup>d</sup>. Mer. Indiana

40.00 Set temp<sup>y</sup>. of. Sec. post  
 59.75 a stream 20 lks. wide C<sup>r</sup>. S. W.  
 79.50 Intersected the N of S. line 80 lks. S. of post  
 Land level 1<sup>st</sup>. rate, Beech, Poplar, ash, Hackberry  
 Blk. Walnut &c. undg<sup>th</sup>. Spice &c.

West On true line between Sec. 14 & 23, T12 N. R2 E.  
 39.75 Set of. Sec. post at average dist. from which  
 a Sugar 6 mi. dist. bear N 79 E 6 lks. dist. of  
 a Beech 30 " " " N 69 W 19 " "  
 79.50 to Sec. Corner.

Copy

North Between Sec. 14 & 15, T12 N. R2 E.  
 19.25 a Beech 12 mi. dist. in the line  
 40.00 Set the of. Sec. post, from which  
 a Sugar 15 mi. dist. bear N 35 E 6 lks. dist. of  
 a Beech 6 " " " N 36 W 22 " "  
 68.60 a Beech 36 " " in the line  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a W. Oak 15 mi. dist. bear N 41 E 8 lks. dist. of  
 a Beech 10 " " " N 47 W 16 " "  
 Rolling 2<sup>nd</sup>. rate land, ash, Beech &c. undg<sup>th</sup>.  
 Spice, Oak, Beech &c. August 22<sup>d</sup>. 1820

East On Random betw<sup>n</sup>. Sec. 11 & 14, T12 N. R2 E.  
 40.00 Set temp<sup>y</sup>. of. Sec. post.  
 79.46 Intersected the N of S. line 54 lks. S. of the post.  
 Hill 3<sup>rd</sup>. rate, Beech, Ash, undg<sup>th</sup>. Spice, hickory &c.

West On true line between Sec. 11 & 14, T12 N. R2 E.  
 39.73 Set of. Sec. post from which,  
 a Beech 12 mi. dist. bear N 9 W 17 lks. dist. of  
 a do 7 " " " N 55 E 10 " "

T12N R2E.2<sup>nd</sup> Mer. Indiana

79.46 to Section Corner.

North between Sec. 10 & 11, T12N, R2E.

16.30 a Sugar 18 in. diam. in the line

40.00 Set the gr. Sec. post, from which

a Beech 6 in. diam. bears S 70 E 3 lks. dist. of

a do 18 " " " N 71 W 33 " "

61.80 a Beech 15 " " in the line

80.00 Set a post corner to Sec. 2, 3, 10 & 11, from which

a Beech 10 in. diam. bears S 79 E 16 lks. dist. of

a Sugar 10 " " " N. W. 14 " "

Level 2<sup>nd</sup> rate land Ash, Beech, Sugar, undg. <sup>tree</sup> Spruce.

East On Random between Sec. 2 & 11, T12N, R2E.

40.00 Set temp. gr. Sec. post

79.00 Intersected the N & S. line 50 lks. E. of post

High 2<sup>nd</sup> rate Ash, Beech &c. undg. <sup>tree</sup> Spruce &c.

West On true line betw<sup>n</sup> Sec. 2 & 11, T12N, R2E

39.50 Set gr. Sec. post at ar. dist. from which

a Beech 12 in. diam. bears N 71 W. 15 lks. dist. of

a do 6 " " " S 35 E 33. "

79.00 to Sec. Corner.

North Between Sec. 2 & 3, T12N, R2E.

18.70 an ash 10 in. diam. in the line

40.00 Set the gr. Sec. post, from which

a B. ash 20 in. diam. bears S 5 E. 22 lks. dist. of

a do 12 " " " N 71 W 10 " "

55.30 a Beech 20 " " in the line

71.00 a stream 15 lks. wide cr. W

74.86 Intersected the N. boundary 750 lks. N. of post

Set a post Cor. to Sec. 2 & 3, from which

# T12 N. R2 E. 2<sup>d</sup>. Mer. Indiana

an Ash 28 in. diam. bran N 80 W 6 lks. dist. of  
 a Do 13 " " " N 45 E 25 " "  
 Land hilly 2<sup>d</sup>. rate, timber Ash, Beech, Sugar &c.  
 undery<sup>th</sup> Spice &c. August 23<sup>d</sup>. 1820

North Between Sec<sup>s</sup>. 33 & 34, T12 N. R2 E

16.40 at Beech 30 in. diam. in the line

40.00 at the g<sup>th</sup>. Sec. post, from which

at Beech 6 in. diam. bran S 82 W 11 lks. dist. of

a Do 6 " " " N 77 E 7 " "

52.85 at Beech 30 " " in the line

80.00 at a post Cor. to Sec<sup>s</sup>. 27, 28, 33 & 34, from which

at Beech 5 in. diam. bran S 70 E 10 lks. dist. of

a Do 4 " " " N 40 W 18 " "

Rolling 2<sup>d</sup>. rate Beech, Sugar &c. undery<sup>th</sup> Spice

East On Random between Sec<sup>s</sup>. 27 & 34, T12 N. R2 E

40.00 at temp<sup>l</sup>. g<sup>th</sup>. Sec. post

79.40 intersected the N & S. line 100 lks. S. of the post

Hilly 2<sup>d</sup>. rate, Ash, Beech &c. undery<sup>th</sup> Spice.

West On true line between Sec<sup>s</sup>. 27 & 34, T12 N. R2 E.

39.70 at g<sup>th</sup>. Sec. post at average dist. from which

a Sugar 6 in. diam. bran N 45 E 17 lks. dist. of

a Beech 20 " " " S 75 W 39 " "

79.40 to Sec. Corner.

North Between Sec<sup>s</sup>. 27 & 28, T12 N. R2 E.

24.14 an Ash 30 in. diam. in the line

38.50 a creek 30 lks. wide Cr. N. W.

40.00 at the g<sup>th</sup>. Sec. post. from which

a Lycamore 4 in. diam. bran N 65 W 52 lks. dist. of

a Sugar 15 " " " N 65 E 10 " "

# West R2E. 2<sup>d</sup> Mer. Indiana

43.40 a Buckeye 30 mi. dia. in the line  
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which  
 a Beech 18 mi. dia. bray N 17 E 20 lks. dist. of  
 a do 10 " " " N 30 E 19 " "  
 Land rolling 2<sup>d</sup> rate, Ash, Angar, Beech, &c.  
 underg<sup>th</sup> Spice &c.

---

East On Random between Sec. 22 & 27, West R2E.  
 40.00 Set temp<sup>y</sup>. g. Sec. post  
 79.40 Intersected the N of S. line 93 lks. S. of Corner.  
 Land level 3<sup>d</sup> rate, Ash, Beech &c. underg<sup>th</sup>  
 Spice, Dogwood & Greenbrier

---

West On true line between Sec. 27 & 22, West R2E.  
 39.70 Set g. Sec. post at average dist. from which  
 a Beech 6 mi. dia. bray N 75 E 10 lks. dist. of  
 a do 6 " " " S 40 W 14 " "  
 79.40 to Sec. Corner.

---

North Between Sec. 21 & 22, West R2E.  
 15.15 a Beech 30 mi. dia. in the line  
 40.00 Set the g. Sec. post, from which  
 a Beech 10 mi. dia. bray N 62 W 7 lks. dist. of  
 a do 12 " " " S 20 E 22 " "  
 53.20 a Creek 20 lks. wide Cr. S. N. W.  
 66.04 a Beech 24 mi. dia. in the line  
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Beech 7 mi. dia. bray N 84 E 21 lks. dist. of  
 a do 24 " " " S 38 W 34 " "  
 Land rolling 2<sup>d</sup> rate, ash, Beech &c. underg<sup>th</sup> Spice & brier

---

East On Random between Sec. 15 & 22, West R2E.  
 40.00 Set temp<sup>y</sup>. g. Sec. post



Twp. N. R. 2 E. 2<sup>d</sup>. Mer. Indiana

79.00 Intersected the N & S. line 44 lks. S. of the post.  
 Land hilly 2<sup>d</sup>. rate, Ash, Beech &c. underg<sup>th</sup>,  
 Spruce, Dogwood, Beech &c. Aug. 24<sup>th</sup>, 1820

West On true line between Secs. 15 & 22, Twp. N. R. 2 E.  
 39.50 Set q<sup>r</sup>. Sec. post, <sup>at average dist.</sup> from which  
 a Beech 20 in. diam. bran N 42° W 9 lks. dist. of  
 a Water beech 3 " " " N 48° E 18 " "  
 79.00 to Sec. Corner.

North Between Secs. 15 & 16, Twp. N. R. 2 E.  
 17.80 a Beech 18 in. diam. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in. diam. bran N 45° E 13 lks. dist. of  
 a do 6 " " " N 77° W 20 " "  
 54.06 a Beech 10 " " in the line  
 80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which  
 a Beech 10 in. diam. bran N 66° W 9 lks. dist. of  
 a do 12 " " " N 43° E 48 " "  
 Land level 2<sup>d</sup>. rate, Beech, Ash, Sugar &c. underg<sup>th</sup>.  
 Spruce &c.

East On Random between Secs. 10 & 15, Twp. N. R. 2 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.10 Intersected the N & S. line 40 lks. S. of the post.  
 Land rolling 2<sup>d</sup>. rate, Beech, Ash &c. under-  
 growth Spruce &c.

West On true line between Secs. 10 & 15, Twp. N. R. 2 E.  
 39.55 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a W. Oak 7 in. diam. bran N 2° W 11 lks. dist. of  
 a Gum 8 " " " N 25° E 15 " "  
 79.10 to Sec. Corner



# Shot N. R. 2 E. 2<sup>nd</sup>. Mer Indiana

North Between Secs. 9 & 10,  $\frac{1}{2}$  12 N. R. 2 E.  
 30.35 an Ash 36 in. diam. in the line  
 40.00 at the q. Sec. post, from which  
     a Dogwood 6 in. diam. bray N 64 E 20 lbs. dist. of  
     a Hickory 2 " " " S 64 W 11 " "  
 50.50 a S. branch 3 lbs. wide Cr. S. M.  
 52.34 a Beech 24 in. diam. in the line  
 57.25 a Branch 4 lbs. wide Cr. M.  
 65.50 a do 5 lbs. " " S. M.  
 80.00 at a post Cor. to Secs. 3, 4, 9, 10, from which  
     a Beech 20 in. diam. bray S 32 W 5 lbs. dist. of  
     a do 20 " " " S 9 W 24 " "  
 Sand rolling 2<sup>nd</sup> rate, ash, Beech, Sugar &c.  
 underg<sup>th</sup>. Spruce &c.

---

East On a Random between Secs. 3 & 10,  $\frac{1}{2}$  12 N. R. 2 E.  
 40.00 at temp. q. Sec. post  
 79.20 intersected the N. & S. line 37 lbs. S. of the post  
 Sand level 2<sup>nd</sup> rate, ash, Beech, Sugar &c. under-  
 growth Spruce &c.

---

West On true line between Secs. 3 & 10,  $\frac{1}{2}$  12 N. R. 2 E.  
 39.60 at q. Sec. post at average dist. from which  
     an Ash 40 in. diam. bray N 40 E 14 lbs. dist. of  
     a Sugar 10 " " " S 63 W 24 " "  
 79.20 to Sec. Corner.

---

North Between Secs. 3 & 4,  $\frac{1}{2}$  12 N. R. 2 E.  
 15.50 a Beech 26 in. diam. in the line  
 40.00 at the q. Sec. post, from which  
     a Beech 26 in. diam. bray S 58 E 14 lbs. dist. of  
     a do 24 " " " S 54 W 31 " "  
 47.40 a Beech 12 " " in the line

73.62 Intersected the N. boundary 600 lks. W. of post  
 Set a post Corner to Sec. 32 & 33, from which  
 a Sugar 30 in. diam. bran N 60° W 7 lks. dist. of  
 a Hickory 12 " " " East 30 " "  
 Land rolling 2<sup>d</sup> rate, Ash, Beech, Sugar &c.  
 underg<sup>th</sup> Spruce &c.

North Between Sec. 32 & 33, Twp. 12 N. 12 E.

20.47 a Beech 10 in. diam. in the line

40.00 Set q. Sec. post, from which

a Beech 24 in. diam. bran N 64° E 14 lks. dist. of

a Sugar 10 " " " N 64° W 25 " "

46.15 a Sugar 12 " " in the line

80.00 Set a post Corner of Sec. 28, 29, 32 & 33 from which

a Beech 8 in. diam. bran N 24° E 10 lks. dist. of

a No 4 " " " N 49° W 14 " "

Land Billy 2<sup>d</sup> rate Beech, Ash, Poplar &c.

underg<sup>th</sup> Spruce & Greenbrier. August 25<sup>th</sup> 1820

East On Random between Sec. 28 & 33, Twp. 12 N. 12 E.

40.00 Set temp. q. Sec. post

80.10 Intersected the N & S. line 140 lks. S. of the post.

Land rolling 2<sup>d</sup> rate, Ash, Beech, Poplar &c.

Underg<sup>th</sup> Spruce &c. Aug. 25<sup>th</sup> 1820

West On true line between Sec. 28 & 33, Twp. 12 N. 12 E.

40.05 Set q. Sec. post, at average dist. from which

a Beech 4 in. diam. bran N 24° W 6 lks. dist. of

a Sugar 6 " " " N 19° E 11 " "

80.10 to Sec. Corner.

North Between Sec. 28 & 29, Twp. 12 N. 12 E.

18.46 a Sugar 10 in. diam. in the line

# S 1/2 N R 2 E 2<sup>d</sup> Mer. Indiana

- 19.00 at Branch 6 lks. wide Cr. St. E.  
 26.00 a do 10 lks. " " N.W.  
 30.00 a do 10 lks. " " N.E.  
 40.00 Let the q. Sec. post, from which  
     a Beech 4 in. diam. bray S 54 E 42 lks. dist. of  
     a do 30 " " " N 30 W 4 " "  
 52.25 <sup>spring</sup> a Branch 10 lks. wide Course N.W.  
 57.50 a do 10 lks. " " N.E.  
 59.50 a do 10 lks. " " N.W.  
 60.00 a Sycamore 40 in. diam. in the line  
 80.00 Let a post Cor. to Sec. 20, 21, 28 & 29, from which  
     a Beech 15 in. diam. bray East 11 lks. dist. of  
     a do 20 " " " S 54 W 23 " "  
 Level 2<sup>d</sup> rate, Ash, Beech, Sugar &c. and g<sup>th</sup> Spice

- East On Random between Sec. 21 & 28, 1/2 S. R 2 E.  
 40.00 Let temp<sup>y</sup>. q. Sec. post  
 47.40 a Creek 25 lks. wide Cr. N.W.  
 80.19 Intersected the N & S. line 16 lks. S. of the post  
 Level rolling 2<sup>d</sup> rate, Beech, Ash, Sugar &c. and g<sup>th</sup> Spice

- West On true line between Sec. 21 & 28, 1/2 S. R 2 E.  
 40.09 1/2 Let q. Sec. post at average dist. from which  
     a Beech 4 in. diam. bray S 40 E 6 lks. dist. of  
     a do 4 " " " N 76 W 26 " "  
 80.19 to Sec. Corner.

- North Between Sec. 20 & 21, 1/2 S. R 2 E.  
 17.56 a Sugar 24 in. diam. in the line  
 40.00 Let the q. Sec. post, from which  
     a Sugar 10 in. diam. bray S 53 E 18 lks. dist. of  
     a Beech 3 " " " S 80 W 23 " "  
 68.25 at Beech 20 " " in the line

T12N R2E 2<sup>d</sup> Mer. Indiana

80.00 Set a post Cor. to Sec. 1, 16, 17, 20 & 21, from which  
 a Sugar 6 in. diam. bran S 83 E 27 lks. dist. of  
 a Beech 6 " " " N 65 W 17 " "  
 Land hilly 2<sup>d</sup> rate, Ash, Beech, Sugar, undg<sup>th</sup> Spice

East On Random between Sec. 1, 16 & 21, T12N R2E.  
 8.50 a Creek 25 lks. wide C.S. N.W.  
 40.00 Set temp<sup>y</sup> q. Sec. post,  
 79.75 Intersected the N & S. line 173 lks. S. of post,  
 Land hilly 3<sup>d</sup> rate, Beech, Ash &c. undg<sup>th</sup> Spice

West On true line between Sec. 1, 16 & 21, T12N R2E.  
 39.87 Set q. Sec. post, <sup>at average dist</sup> from which  
 a Beech 26 in. diam. bran S 20 E 29 lks. dist. of  
 an Ash 30 " " " N 46 W 14 " "  
 79.75 to Sec. Corner.

North Between Sec. 1, 16 & 17, T12N R2E.  
 0.75 a Branch 5 lks. wide C.S. N.E.  
 16.50 a Walnut 24 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 an Elm 30 in. diam. bran S 55 W 27 lks. dist. of  
 a Do 4 " " " N 13 W 7 " "  
 44.30 a Creek 30 lks. wide C.S. N.W.  
 63.59 a Walnut 18 in. diam. in the line  
 80.00 Set a post Cor. to Sec. 1, 8, 9, 16 & 17, from which  
 an Elm 8 in. diam. bran S 60 E 22 lks. dist. of  
 a Do 7 " " " N 53 W 37 " "  
 Land level 1<sup>st</sup> rate Ash, Beech, Sugar, B. Walnut  
 Sycamore, undg<sup>th</sup> Spice & Leatherwood

East On Random between Sec. 1, 9 & 16, T12N R2E,  
 2.00 a Creek 35 lks. wide Course N.



## Twp. N 2 E. 2. Mer. Indiana

40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 184 lks. S. of post  
 Land rolling 2<sup>d</sup> rate, ash, Beech, Poplar &c  
 undg<sup>th</sup> Spice &c.

---

West On true line between Sec. 9 & 16, T 12 N. R 2 E.  
 40.00 Set q. Sec. post at average dist. from which  
 at Beech 12 in. diam. bran N 70 E 13 lks. dist. of  
 a Sugar 18 " " " N 65 W 34 " "  
 80.00 to Sec. Corner.

---

North Between Sec. 8 & 9, T 12 N. R 2 E.

12.75 a Branch 4 lks. wide Cr. N.W.  
 23.75 a Creek 75 lks. " " N.W.  
 24.75 a Sycamore 36 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 at Buckeye 6 in. diam. bran N 74 E 20 lks. dist. of  
 a Sycamore 48 " " " N 60 W 21 " "  
 59.08 a Blk. Walnut 36 in. diam. in the line  
 80.00 Set a post Corner to Sec. 4, 5, 8, 9, from which  
 a Hackberry 6 in. diam. bran N 45 W 15 lks. dist. of  
 a B. Walnut 5 " " " N 20 E 13 " "  
 Land level 1<sup>st</sup> half 2<sup>d</sup> rate - last half 1<sup>st</sup> rate  
 ash, Beech, Hackberry, B. Walnut &c. undg<sup>th</sup> Spice

---

East On Random between Sec. 4 & 9, T 12 N. R 2 E.

40.00 Set temp. q. Sec. post  
 79.32 Intersected the N & S. line 176 lks. S. of the post  
 Land level 1<sup>st</sup> half 1<sup>st</sup> rate - last 1/2 2<sup>d</sup> rate Beech,  
 ash, B. Walnut, Sugar, undg<sup>th</sup> Spice, Aug. 26<sup>th</sup> 1820

---

West On true line between Sec. 4 & 9, T 12 N. R 2 E.  
 39.66 Set q. Sec. post at average dist. from which

*T12N R2E. 2<sup>nd</sup> Mer. Indiana*

441

a Beech 10 in. dia. brang S50 E 10 lks. dist. of  
a Do 20 " " " N23 W 21 " "

79.32 to Sec. Corner.

North Between Sec. 4 & 5, T12N. R2E.

15.88 a Sugar 15 in. dia. in the line

40.00 Let the q. Sec. post, from which

a Hackberry 12 in. dia. brang N80 W 37 lks. dist. of

a Sycamore 26 " " " S80 E 25 " "

64.24 a Buckeye 12 " " in the line

74.70 Intersected the N. boundary 460 lks. N. of the post

Let a post Cor. to Sec. 4 & 5, from which

an Ash 10 in. dia. brang S70 E 9 lks. dist. of

a Buckeye 15 " " " North 17 " "

Land level 2<sup>nd</sup> rate, the principal part of which is  
subject to inundation by White river, timber, Walnut  
Ash, Sugar, Beech, Sycamore & undg. Spruce

North Between Sec. 31 & 32, T12N. R2E. 2<sup>nd</sup> Mer.

13.30 a Beech 28 in. dia. in the line

40.00 Let the q. Sec. post, from which

a Sugar 15 in. dia. brang N73 E 10 lks. dist. of

a Beech 15 " " " S48 W 9 " "

65.54 a Beech 26 " " in the line

80.00 Let a post Cor. to Sec. 29, 30, 31 & 32, from which

a Beech 6 in. dia. brang S66 E 14 lks. dist. of

a Do 5 " " " S71 W 18 " "

Land level 2<sup>nd</sup> rate, Ash, Beech, Sugar, Poplar & Spruce

East On Random between Sec. 29 & 32, T12N. R2E.

40.00 Let temp. q. Sec. post

65.50 a Branch 8 lks. wide cr. N. E.

79.36 Intersected the N & S. line 120 lks. S. of the post

T12 N. R2 E. 2<sup>d</sup>. Mer. Indiana

Land level 2<sup>d</sup>. rate, ash, Beech, Sugar &c. under-  
growth Spruce &c.

West Outline line between Sec. 29 & 32, T12 N. R2 E.  
39.68 Set q. Sec. post, <sup>at average disk,</sup> from which  
a Beech 6 mi. diam. beam S82 E 5 lks. dist. of  
a do 6 " " " N74 W 5 " "  
79.36 to Sec. Corner.

West Between Sec. 30 & 31, T12 N. R2 E. 2<sup>d</sup>. Mer.  
16.14 a Sugar 10 mi. diam. in the line  
40.00 Set the q. Sec. post, from which  
a Beech 6 mi. diam. beam N35 W 20 lks. dist. of  
a Sugar 8 " " " S32 E 9 " "  
54.75 at Beech 7 " " in the line  
68.00 Intersected the W. boundary 100 lks. N. of post.  
Set a post Cor. to Sec. 30 & 31, from which  
an Elm 30 mi. diam. beam S24 W 30 lks. dist. of  
a Swamp Ash 26 " " " N33 E 31 " "  
Rolling 2<sup>d</sup>. rate, ash, Beech, Sugar &c. undg. Spruce

North Between Sec. 29 & 30, T12 N. R2 E.  
24.45 a Hickory 11 mi. diam. in the line  
40.00 Set the q. Sec. post, from which  
a Sugar 15 mi. diam. beam N80 E 18 lks. dist. of  
a do 18 " " " N56 W 15 " "  
56.40 a Sugar 12 " " in the line  
80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 6 mi. diam. beam N42 W 4 lks. dist. of  
a do 40 " " " S80 E 16 " "  
Land hilly 2<sup>d</sup>. rate, ash, Beech, Sugar &c.  
undg. Spruce &c.

# T2N. R2E. 2<sup>nd</sup> Mer. Indiana

443

West Between Sect. 19 & 30, T2N. R2E.

23.20 a Sugar 20 in. dia. in the line

40.00 at the q. Sec. post, from which

a Beech 12 in. dia. bran S 2 E 28 lks. dist. of

a do 10 " " " N 10 W 23 " "

56.38 a Beech 18 " " in the line

67.80 Intersected the W. boundary 85 lks. N. of corner

Set a post Cor. to Sect. 19 & 30, from which

a Beech 20 in. dia. bran S 65 E 13 lks. dist. of

a do 30 " " " N 65 W 12 " "

Rolling 2<sup>nd</sup> rate, ash, Beech, Sugar &c. underg. Spice &c.

East Out Random between Sect. 20 & 29, T2N. R2E.

27.05 a s. branch 6 lks. wide C. S. N.

40.00 at temp. q. Sec. post

53.30 a stream 15 lks. wide C. S. N. W.

79.83 Intersected the N. & S. line 60 lks. S. of the post

Land rolling 2<sup>nd</sup> rate, timber Ash, Beech, Pop-  
lar &c. underg. Spice. August 28<sup>th</sup> 1825

West On true line between Sect. 20 & 29, T2N. R2E

39.91 at q. Sec. post at average, dist. from which

a Beech 7 in. dia. bran S 31 W 18 lks. dist. of

a do 6 " " " N 83 E 26 " "

79.83 to Sec. Corner

North Between Sect. 19 & 20, T2N. R2E.

18.32 a Beech 30 in. dia. in the line

23.00 a branch 10 lks. wide C. S. W.

40.00 at the q. Sec. post, from which

a Beech 6 in. dia. bran N 46 E 11 lks. dist. of

a do 7 " " " S 85 W 10 " "

61.34 a Beech 10 " " in the line



T12 N. R2 E. 2<sup>nd</sup> Mer. Indiana

80.00 Set a post Cor. to Secs. 17, 18, 19, 20, from which  
 a Beech 10 m. diam. bear N44 W 12 lks. dist. of  
 a Do 24 " " " N61 E 40 " "  
 Land rolling 2<sup>nd</sup> rate, Beech, Ash, Sugar, Poplar  
 &c. underg<sup>th</sup> Spruce &c.

West Between Secs. 18 & 19, T12 N. R2 E.

34.22 a Sugar 26 m. diam. in the line

40.00 Set the q. Sec. post, from which  
 a Beech 30 m. diam. bear N69 W 26 lks. dist. of  
 a Sugar 7 " " " N45 E 30 " "

52.60 a stream 15 lks. wide Cr. N.W.

55.00 an Elm 30 m. diam. in the line

67.79 Intersected the N. boundary 55 lks. N. of post  
 Set a post Cor. to Secs. 18 & 19, T12 N. R2 E, from  
 which a Sugar 18 m. diam. bear South 5 lks. dist. of  
 a Beech 6 " " " N50 W 13 " "  
 Land rolling 2<sup>nd</sup> rate, ash, Beech, Sugar &c.  
 underg<sup>th</sup> Spruce &c.

East Out Random between Secs. 17 & 20, T12 N. R2 E.

40.00 Set temp. q. Sec. post

50.75 a Branch 4 lks. wide Cr. N.E.

55.75 a Do 4 lks. " " N.E.

65.00 a Do 4 lks. " " North

79.50 Intersected the N & S. line 114 lks. S. of post  
 Land rolling 2<sup>nd</sup> rate, timber Ash, Beech, Sugar  
 Poplar, &c. underg<sup>th</sup> Spruce &c.

West On true line between Secs. 17 & 20, T12 N. R2 E.

39.75 Set q. Sec. post at average dist. from which  
 a Beech 10 m. diam. bear N63 E 16 lks. dist. of  
 a Do 12 " " " N41 W 14 " "

# 445

## T2 N. R2 E. 2<sup>d</sup>. Mer. Indiana

79.50 to Sec. Corner.

North Between Sec. 17 & 18, T2 N. R2 E.

23.00 an Elm 26 in. dia. in the line

40.00 Let the q. Sec. post, from which  
a Dogwood 5 in. dia. bear S45 E 14 lbs. dist. of  
a Beech 3 " " " N30 W 13 " "

41.75 a Spring branch 3 lbs. wide C. S. N.

58.25 a Elk. Gum 18 in. dia. in the line

80.00 Let a post Cor. to Sec. 7, 8, 17 & 18, from which  
a Dogwood 6 in. dia. bear S79 E 28 lbs. dist. of  
a Beech 6 " " " N31 W 12 " "

Land rolling 2<sup>d</sup> rate, Beech, Ash, Sugar &c. under-  
growth Spice &c.

East On Random between Sec. 8 & 17, T2 N. R2 E.

40.00 Let temp. q. Sec. post,

43.60 a L. branch 3 lbs. wide C. S. N.

72.50 a Creek 30 lbs. wide C. S. E.

79.50 Intersected the N & S. line 105 lbs. S. of post.

Land rolling 3<sup>d</sup> rate, Ash, Beech &c. undg. Sugar &c.

West On true line between Sec. 8 & 17, T2 N. R2 E.

39.75 Let q. Sec. post at average dist. from which  
a Hickory 8 in. dia. bear S50 W 15 lbs. dist. of  
a Dogwood 3 " " " N47 E 21 " "

79.50 to Sec. Corner.

West Between Sec. 7 & 18, T2 N. R2 E

18.03 a Buckeye 8 in. dia. in the line

40.00 Let the q. Sec. post, from which  
an Ash 10 in. dia. bear N60 E 15 lbs. dist. of  
a Beech 24 " " " N30 W 33 " "

T12N R2E, 2<sup>d</sup> Mer. Indiana

48.80 an Ash 18 in. diam. in the line  
 65.32 Intersected the West boundary 47 lks. S. of post  
 Set a post Cor. to Sec. 7 & 18, from which  
 a Beech 20 in. diam. bran N 63° W 19 lks. dist. of  
 a B. Walnut 6 " " " S 41° E 20 " "  
 Land level of 1<sup>st</sup> rate, timber, Beech, Sugar,  
 Hackberry &c. underg<sup>th</sup> Spruce.

North Between Sec. 7 & 8, T12N, R2E.  
 25.70 a Buckeye 10 in. diam. in the line  
 40.00 Set the 9<sup>th</sup> Sec. post, from which  
 a Buckeye 10 in. diam. bran East 14 lks. dist. of  
 a Do 7 " " " S 75° W 28 " "  
 64.74 a Hackberry 15 in. diam. in the line  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Hackberry 10 in. diam. bran N 50° E 31 lks. dist. of  
 a Sycamore 15 " " " S 79° W 32 " "  
 Land level 1<sup>st</sup> rate, Ash, Beech, Hackberry  
 Sugar, Sycamore &c. underg<sup>th</sup> Spruce. Aug. 29. 1820.

West Between Sec. 6 & 7, T12N, R2E.  
 6.75 to one channel of White river 348 lks. wide  
 Course S. where Set a post, from which  
 a water Willow 6 in. diam. bran N 6° E 8 lks. dist. of  
 a Sycamore 24 " " " S 35° E 17 " "  
 10.23 over the river to an Island  
 16.15 to the N. channel of White river 120 lks. or S.W.  
 17.25 Set a post on right bank of river, from which  
 an Elm 18 in. diam. bran North 20 lks. dist. of  
 a Hackberry 6 " " " N 57° W 20 " "  
 21.28 a Maple 7 " " in the line  
 40.00 Set the 9<sup>th</sup> Sec. post, from which  
 an Ash 10 in. diam. bran N 34° E 21 lks. dist. of

# T12 N R2 E 2<sup>nd</sup> Mer. Indiana

a Mulberry 12 in. dia. bran S 2 W 18 lks. dist. of  
 50.50 a Mulberry 10 " " in the line  
 64.16 Intersected the W. boundary 9.2 lks. N. of post  
 Set a post Cor. to Sect. 6 of 7, from which  
 a Hackberry 6 in. dia. bran S 46 W 14 lks. dist. of  
 a Buckeye 6 " " " N 4 E 15 " "  
 Sand level 1<sup>st</sup> rate, timber Ash, Beech, Sugar,  
 Hackberry &c. underg<sup>th</sup> Spice &c

East On Random between Sec. 5 & 8, T12 N R2 E.  
 4.75 to W. River 250 lks. wide C. N. W. Current moderate  
 23.75 W. River (again) 200 lks. wide C. S. E. lively  
 40.00 Set temp<sup>y</sup>. of. Sec. post  
 51.75 a Creek 70 lks. wide C. S. North  
 80.15 Intersected the N. & S. line 81 lks. S. of the post.  
 Sand level 1<sup>st</sup> rate, timber Ash, Beech, Sugar &  
 Hackberry, underg<sup>th</sup> Spice

West On true line between Sec. 5 & 8, T12 N R2 E.  
 40.07 Set of. Sec. post at average dist. from which  
 a Maple 18 in. dia. bran N 75 E 31 lks. dist. of  
 a Do 15 " " " S 28 W 14 " "  
 51.50 Set a post on Left bank of White river from which  
 a Cottonwood 6 in. dia. bran N 65 W 4 lks. dist. of  
 a Do 7 " " " S 34 E 6 " "  
 56.55 Set a post on Right bank of White river from which  
 a Walnut 4 in. dia. bran S 7 W 22 lks. dist. of  
 a Shakerwood 3 " " " N 52 E 8 " "  
 71.90 Set a post on right bank of River again from which  
 a Maple 8 in. dia. bran N 3 E 19 lks. dist. of  
 a Do 5 " " " S 25 E 10 " "  
 75.40 Set a post on left bank of River from which  
 a Redbud 6 in. dia. bran S 62 W 30 lks. dist. of



# S12 N R2 E. 2<sup>d</sup>. Mer. Indiana

an Elm 10 m. diam. bearing N12 W 9 lks. dist. of  
80.15 to Sec. Corner.

North Between Sect. 5 & 6, S12 N. R2 E.

- 6.50 Set a post on the left bank of W. river, from which  
a Cottonwood 10 m. diam. bearing N60 E 50 lks. dist. of  
a Do 3 " " " West 48 " "
- 10.50 Set a post on the right bank of the river from which  
a Buckeye 2 m. diam. bearing N70 W 19 lks. dist. of  
a Ash 5 " " " N35 E 33 " "
- 28.45 a Hackberry 12 " " in the line
- 40.00 Set q. Sec. post from which  
a Beech 20 m. diam. bearing N50 E 15 lks. dist. of  
a Hickory 18 " " " S69 W 25 " "
- 45.50 a Spring
- 54.35 an Ash 26 m. diam. in the line
- 73.81 Intersected the N. boundary 236 lks. N. of post  
Set a post Cor. to Sect. 5 & 6, from which  
a Beech 30 m. diam. bearing S10 E 28 lks. dist. of  
an Ash 7 " " " S39 W 40 " "
- Land level 1<sup>st</sup> rate, Ash, Beech, Sugar, Hack-  
berry &c. under 1<sup>st</sup>. Price. Aug. 30<sup>th</sup>. 1820

Meanders of White River, from post on N.  
boundary, thence down stream on the right bank.

- S19 W 3.50 in Sec. 5, S12 N. R2 E.  
S10 E 6.50  
S45 E 11.00  
S26 E 9.00  
South 11.00  
S12 W 1.50  
S30 W 3.00  
S15 W 4.00

# *T12 N. R2 E. 2<sup>d</sup> Mer. Indiana*

S54 <sup>W</sup>	9.50	
S25 <sup>W</sup>	3.50	
S47 <sup>W</sup>	9.00	
S54 <sup>W</sup>	9.50	
N70 <sup>W</sup>	13.50	
S74 <sup>W</sup>	11.00	
S35 <sup>W</sup>	2.00	
S48 <sup>W</sup>	3.50	
South	3.50	to line between Secs. 5 & 8.

---

South	14.00	in Sec. 8, T12 N. R2 E.
S52 <sup>W</sup>	4.50	
N82 <sup>W</sup>	5.00	
N60 <sup>W</sup>	4.50	
N30 <sup>W</sup>	5.00	
N10 <sup>W</sup>	3.50	
North	2.65	to line between Secs. 5 & 8

---

North	8.50	in Sec. 5, T12 N. R2 E.
N55 <sup>W</sup>	7.00	
N80 <sup>W</sup>	1.90	to line between Secs. 5 & 6

---

S75 <sup>W</sup>	5.00	in Sec. 6, T12 N. R2 E.
S40 <sup>W</sup>	4.50	
S85 <sup>W</sup>	5.50	
S47 <sup>W</sup>	5.00	
South	2.42	to line between Secs. 6 & 7.

---

S70 <sup>W</sup>	1.50	in Sec. 7, T12 N. R2 E.
West	4.00	lower end of Island
N80 <sup>W</sup>	2.50	
S80 <sup>W</sup>	5.00	
S60 <sup>W</sup>	11.50	

T12 N. R2 E. 2<sup>d</sup> Mer. Indiana

S50 W 7.50  
 S35 W 4.00  
 S20 W 5.00  
 South 13.50  
 S30 E 4.50  
 S50 W 2.50  
 S76 W 4.50  
 N60 W 5.50  
 N40 W 3.50  
 N10 E 10.50  
 N14 W 4.50  
 N41 W 3.24

Intersected the W. boundary  
 September 21<sup>st</sup> 1820

Meandering of the Left bank of White river  
 from the W. boundary of T12 N. R2 E, thence  
 up stream.

S51 E 7.50 mi Sec. 7. T12 N. R2 E.  
 S80 E 4.50  
 N60 E 11.00  
 N15 E 5.50  
 N13 W 16.50  
 N25 E 3.50  
 N43 E 9.50  
 N59 E 9.00  
 N80 E 3.00  
 S70 E 2.50 on Island  
 S25 E 4.34  
 S10 E 8.00  
 S53 E 7.00  
 East 5.50  
 N45 E 8.00  
 N5 E 4.50

# T12 N. R2 E. 2<sup>nd</sup> Mer. Indiana

N20W	7.00	
N5E	4.00	to line between Sec. 6 & 7
N30E	3.00	(in Sec. 6,) upper end of Island
N45E	5.00	
N60E	1.50	Sec. line some where here
N70E	2.50	
N25E	3.00	
N10E	2.22	to line between Sec. 5 & 8.
N10E	3.50	in Sec. 8, T12 N. R2 E
N15W	5.50	
N30E	7.50	
N55E	5.50	
N80E	8.50	
N65E	6.50	
N25E	7.50	
N10W	4.00	
N15E	2.00	
N6W	2.13	to line between 5 & 8
N20E	2.50	in Sec. 5, T12 N. R2 E.
N50E	5.00	
N85E	4.50	
N56E	5.00	
N78E	7.00	
N85E	2.40	a Creek 85 yds. wide Comes from S.E.
N72E	7.00	an Island Sept. 22 <sup>nd</sup> 1820
N72E	13.00	
N45E	12.50	upper end of Island
N20E	7.00	
North	15.50	at 3.50 an Island & at 15.50 upper end do
North	29.50	



T12N. R2E. 2<sup>d</sup>. Mer. Indiana

N29W 13.00	mi Sec. 5, T12N. R2E.
N48W 7.74	
N30W 1.50	
North 2.00	
N17E 3.88	Intersected the N. boundary of T12N. R2E.

---

Surveyed by Basil Bently, Dep. Surveyor

I Certify that the foregoing transcript of field notes of Township N. 12 N. Range N. 2 E. 2<sup>d</sup>. Mer. Indiana has been Comp<sup>d</sup>. with the Original notes in this office and found to be Correct.

Surveyor General's Office  
Cincinnati, March 17<sup>th</sup> 1841

E. S. Cairnes  
Engd

Comp<sup>d</sup>.